



PATENT
81208/246298

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Assistant Commissioner for Patents
Washington D.C. 20231, on

August 9, 2000

Date of Deposit

Lisa A. Ralph

Name

Signature

9/9/00

Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:) Art Unit: 2877
Dieter Mueller, et al.) Examiner: unknown
Serial No: 09/543,604)
Filed: April 7, 2000)
For: REDUCED COHERENCE SYMMETRIC)
GRAZING INCIDENCE DIFFERENTIAL)
INTERFEROMETER)

)

98 17-2650 Filing Receipt 01693953 75543694
17-275

REQUEST FOR CORRECTED FILING RECEIPT

Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

Request is hereby made for correction of the filing receipt (copy enclosed) for the above-identified application. Please make the following corrections:

1. Please note that the filing date is incorrect. It should be 04/07/2000 and not

04/05/2000;

2. The number of independent claims should read "4" and not "3"; and

3. Please note in executed Declaration enclosed herewith, the address for inventor Rainer Schierle has been changed and the Filing Receipt should reflect the change from Palo Alto to **Los Altos**, California.

X Is believed this is applicant's error, and accordingly, a fee of \$25 is enclosed. If any adjustment to the fee is required, please charge it to Deposit Account No. 16-1805 of the undersigned attorney's firm.

— It is believed this is a Patent Office error, and accordingly, no fee is enclosed. However if a fee should be required, please charge it to Deposit Account No. 16-1805 of the undersigned attorney's firm.

A copy of this Request is enclosed.

Respectfully submitted,

PILLSBURY MADISON & SUTRO LLP

Date: August 9, 2000.

By: 

Steven W. Smyrski
Registration No. 38,312
Attorney for Applicant(s)

725 South Figueroa Street, Suite 1200
Los Angeles, CA 90017-5443
Telephone: (213) 488-7100
Facsimile: (213) 629-1033

KLA-TENCOR-246298-SWS

FILING RECEIPT



0C00000005172233*

UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark OfficeAddress: ASSISTANT SECRETARY AND
COMMISSIONER OF PATENT AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE RECD	ATTY DOCKET NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/543,604	04/05/2000	2877	0	81208-246298	12	25	3

Pillsbury Madison & Sutro LLP
725 S Figueroa Street
Suite 1200
Los Angeles, CA 90017



Should be
④

Date Mailed: 06/12/2000

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the PTO processes the reply to the Notice, the PTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Dieter Mueller, Cupertino, CA ;
Daniel Ivanov Kavaldjiev, Santa Clara, CA ;
Rainer Schierle, Palo Alto, CA ;

Continuing Data as Claimed by Applicant

THIS APPLICATION IS A CIP OF 09/335,673 06/18/1999

JUN 15 2000
PILLSBURY MADISON & SUTRO

Foreign Applications

If Required, Foreign Filing License Granted 06/12/2000

P-CEIV-0

JUN 15 2000

PILLSBURY MADISON & SUTRO

Title

Reduced coherence symmetric grazing incidence differential interferometer

Preliminary Class

356

Data entry by : HALL ELMIRA

Team : CIPE

Date: 06.12.2000

